Honeywell



Because your protection counts!

Maximum protection for minimum effort

Located in over 120 countries, Honeywell Safety Products (HSP) is world leader in personal protective equipment. In all the developments made by HSP, special attention is paid to combining maximum respiratory protection and optimal comfort, thus reducing the user's efforts to carry out their work in complete safety.

Its Research & Development Centre, set up in France, is renowned the world over as an excellence centre due to its dedicated quality control laboratory and cutting-edge equipment.

The fruit of a partnership with mask end-users, we have brought our Series 5000 moulded mask range forward so that it can provide you with all the protection and comfort you deserve!

New items of the Series 5000 range


For maximum protection

1 NEW OUTER LAYER

A reinforced and softer outer layer to improve the mask's fit and the user's comfort.

2 NEW ULTRA-HIGH PERFORMANCE FILTER MEDIA

Its new formula provides added breathability while maintaining maximum filter performance.



FFP Classification High Toxicity Low and Medium Toxicity 1 and Toxicity 1 and Toxicity

NCE ty nce. 40% more breathable

3 NEW ELASTIC BANDS

- New white and ultra-flexible elastic and resistant bands for a better face seal and added comfort
- Can stretch up to 500% without breaking

4 ADJUSTABLE NOSE PIECE

- Resistant nose piece that ensures a perfect seal in time for maximum protection
- Rapid identification of the level of protection using a colour code

5 HIGH PERFORMANCE VALVE

Its exclusive inclining design enables the mask being cooler and drier

6 FASTENING SYSTEM

- Its softer and easy-to-adjust woven ribbon texture ensures a perfect seal and comfort.
- Available on the Premium and Speciality models:
 5221 5321 -5251

Outstanding comfort

For minimal effort

THE WILLTECH[™] SEAL

- Hypoallergenic, and perspiration-free, it provides the user with greater comfort.
- Made up of three layers (polyester fabric, polyurethane foam, polyethylene film), it enables a soft contact on the skin, prevents any risk of irritation by absorbing perspiration, and offers a perfect seal.

LARGE INNER VOLUME

- For greater ease of movement
- Ergonomic, soft and lightweight (10 to 28g), to reduce user fatigue to the full

ADVANTAGES OF THE 3-LAYER WILLTECH™ SEAL TECHNOLOGY

- Polyester fabric = Softness
- Polyurethane foam = Absorbs humidity
- Polyethylene film = Seal

COMFORT RANGE

PREMIUM RANGE

and an optimal fit

leakage

• The best compromise in terms of performance and comfort for standard working conditions



• The 5221 & 5321 masks include a WilltechTM seal and adjustable braids

> All our models meet the following criteria: CE 0194 EN149:2001+A1:2009

Series 5000 moulded single-use range











5000 series

COMFORT Range

Models	5185	5186	5208	5209	5311
References $\frac{\Phi}{N}$	M/L Ref.: 10 072 21 XL -	M/L Ref.: 10 072 22 XL -	M/L Ref.: 10 072 23 XL -	M/L Ref.: 10 072 24 XL -	M/L Ref.: 10 156 35 XL -
FFP Classification	FFP 1 NR* D**	FFP 1 NR* D**	FFP 2 NR* D**	FFP 2 NR* D**	FFP3 NR* D**
Exhalation valve	No	Yes	No	Yes	Yes
Face seal	Nasal	Nasal	Nasal	Nasal	Nasal
Fasteners	Elastic	Elastic	Elastic	Elastic	Elastic
Packaging	20	20	20	20	10
NPF	4	4	12	12	50

NPF: Nominal Protection Factor - See the standards that govern your country and/or the instructions

* NR: Non Reusable ** D: Dolomite-tested













5000 series **PREMIUM** Range

Models	5110	5111 5210		5211	5221	5321	
References $\frac{0}{N}$	M/L Ref.: 10 055 80 XL Ref.: 10 051 13	M/L Ref.: 10 055 82 XL -	M/L Ref.: 10 055 84 XL -	M/L Ref.: 10 055 86 XL Ref.: 10 050 99	M/L Ref.: 10 055 88 XL Ref.: 10 051 20	M/L Ref.: 10 056 02 XL Ref.: 10 051 26	
FFP Classification	FFP 1 NR* D**	FFP 1 NR* D**	FFP2 NR* D**	FFP 2 NR* D**	FFP 2 NR* D**	FFP3 NR* D**	
Exhalation valve	No	Yes	No	Yes	Yes	Yes	
Willtech™seal	Nasal	Nasal	Nasal	Nasal	Full-face	Full-face	
Fasteners	Elastic	Elastic	Elastic	Elastic	Adjustable braids	Adjustable braids	
Packaging	20	20	20	20	5	5	
NPF	4	4	12	12	12	50	

NPF: Nominal Protection Factor - See the standards that govern your country and/or the instructions

* NR: Non Reusable ** D: Dolomite-tested











5000 series **SPECIALITY** Range

Models		5140 OV	5141 OV	5161 AV	5251 OV	5261 AV
References	920	M/L Ref.: 10 055 91 XL -	M/L Ref.: 10 055 93 XL -		M/L Ref.: 10 055 95 XL Ref.: 10 051 22	M/L Ref.: 10 056 00 XL -
FFP Classification		FFP 1 NR* D**	FFP1	FFP 1 NR* D**	FFP 2 NR* D**	FFP 2 NR* D**
Exhalation valve		No	Yes	Yes	Yes	Yes
Willtech™seal		Nasal	Nasal	Nasal	Full-face	Nasal
Fasteners		Elastic	Elastic	Elastic	Adjustable braids	Elastic
Packaging		20	20	20	5	20
NPF		4	4	12	12	12

NPF: Nominal Protection Factor - See the standards that govern your country and/or the instructions OV: organic vapours/vapeurs organiques AV: acid gases/vapeurs acides

* NR: Non Reusable

** D. Dolomite-tested

Lead them to safety - Build an enduring culture of safety through comprehensive education, innovative technologies, and comfortable, high-performance products that inspire workers to make safer choices on their own. Honeywell Safety Products is the ideal partner for organizations committed to a cultural transformation that minimizes injuries and maintains a safer, more productive workplace.